

<b>Notice of References Cited</b>	Application/Control No. 10/561,538		Applicant(s)/Patent Under Reexamination FUJITA ET AL.	
	Examiner ROBERT XU		Art Unit 1797	Page 1 of 1

#### U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-2001/0038450	11-2001	McCaffrey et al.	356/311
*	B	US-5,898,559	04-1999	Smith, Dirk S.	361/215
*	C	US-6,602,464	08-2003	Rapp et al.	422/5
*	D	US-6,290,868	09-2001	Martin et al.	252/62.54
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

#### FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N	WO		USA		
	O					
	P					
	Q					
	R					
	S					
	T					

#### NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	Castranova, Vincent, et al., Augmentation of Pulmonary Reactions to Quartz Inhalation by trace amounts of iron-containing particles, 1997, Environmental Health Perspective 105, Supplement 5, retrieved online at <a href="http://www.ehponline.org/members/1997/Suppl-5/castranova-full.html">http://www.ehponline.org/members/1997/Suppl-5/castranova-full.html</a>
	V	Ryoji, Miyasato, Prevention of product troubles by static electricity failure. Static electricity removal and static elimination materials. Development cases of static elimination materials. Persistent static elimination ABS resins "Novalloy E series", 1999, Engineering Materials, Vol. 47(11), pages 38-41.(only attached English Title and abstract)
	W	
	X	

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)  
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.